European Journal of Phycology

Formerly
British Phycological Journal

Index and Contents of Volume 33
February–November 1998

Cambridge University Press

The Edinburgh Building, Cambridge CB2 2RU, United Kingdom
40 West 20th Street, New York, NY 1001–4211, USA
10 Stamford Road, Oakleigh, Melbourne, 3166, Australia

© 1998 British Phycological Society

EUROPEAN JOURNAL OF PHYCOLOGY
CONTENTS AND INDEX TO
VOLUME 33

The Council of the British Phycological Society wish it to be understood that they do not accept responsibility for the accuracy of statements published in the *Journal*, excepting when those statements are contained in an official report of the Council.

Number 1, pp. 1–94, 27 March 1998
Number 2, pp. 95–186, 22 June 1998
Number 3, pp. 187–280, 8 September 1998
Number 4, pp. 281–363, 18 December 1998

ABE T. & MASUDA M. *Laurencia japonensis* sp. nov. (Ceramiales, Rhodophyta) 17
AGUILAR M. *see* PIEDRAS and PINEDA 57
ANDREW N.L. & VIEJO R.M. Effects of wave exposure and intraspecific density on the growth and survivorship of *Sargassum muticum* (Sargassaceae: Phaeophyta) 251
BALLESTEROS E., SALA E., GARRABOU J. & ZABALA M. Community structure and frond size distribution of a deep water stand of *Cystoseira spinosa* (Phaeophyta) in the Northwestern Mediterranean 121
BELLINGER E. G. *see* SIGEE & KRIVTSOV 155
BERGER-PERROT Y. *see* COAT, DION, NOAILLES, DE REVIERS, FONTAINE and LOISEAUX-DE GOËR 81
BOUCHAALA N. *see* GROSS, KÜVER, TISCHENDORF and BÜSCH 25
BRENCHLEY J.L., RAVEN J.A. & JOHNSTON A.M. Carbon and nitrogen allocation patterns in two intertidal fucoids: *Fucus serratus* and *Himanthalia elongata* (Phaeophyta) 307
BRETT S. J. *see* DEANE, HILL and McFADDEN 149
BÜSCH W. *see* GROSS, KÜVER, TISCHENDORF and BOUCHAALA 25
CATTOLICO R. A. *see* VALENTIN & FISCHER 113
COAT G. *see* DION & DE REVIERS 73
COAT G., DION P., NOAILLES M.-C., DE REVIERS B., FONTAINE J.-M., BERGER-PERROT Y. & LOISEAUX-DE GOËR S. *Ulva armoricana* (Ulvales, Chlorophyta) from the coasts of Brittany (France). II. Nuclear rDNA ITS sequence analysis 81
DAVISON I. R. *see* MAJOR 129
DEANE J. A., HILL D. R. A., BRETT S. J. & McFADDEN G. I. *H. nusia phi* gen. et sp. nov. (Cryptophyceae): characterization of '*Cryptomonas* sp. Φ' 149
DE JONG Y.S.D.M., VAN DER WURFF A.W.G., STAM W.T. & OLSEN J.L. Studies on Dasyaceae. 3. Towards a phylogeny of the Dasyaceae (Ceramiales, Rhodophyta), based on comparative *rbc*L gene sequences and morphology 187
DE KNECHT J.-A. *see* SKOWROŃSKI, SIMONS and VERKLEIJ 87
DELAROQUE N. *see* MAIER, WOLF, MÜLLER and KAWAI 213
DE REVIERS B. *see* COAT, DION, NOAILLES, FONTAINE, BERGER-PERROT and LOISEAUX-DE GOËR 81
DE REVIERS B. *see* DION and COAT 73
DION P. *see* COAT, NOAILLES, DE REVIERS, FONTAINE, BERGER-PERROT and LOISEAUX-DE GOËR 81
DION P., DE REVIERS B. & COAT G. *Ulva armoricana* sp. nov. (Ulvales, Chlorophyta) from the coasts of Brittany (France). I. Morphological identification 73
ERDNER D. *see* GUENEAU, MOREL and LAROCHE 203
ERIKSSON B.K., JOHANSSON G. & SNOEIJS P. Long-term changes in the sublittoral zonation of brown algae in the southern Bothnian Sea 241
FISCHER S. *see* VALENTIN and CATTOLICO 113
FONTAINE J.-M. *see* COAT, DION, NOAILLES, DE REVIERS, BERGER-PERROT and LOISEAUX-DE GOËR 81
FREDRIKSEN S. *see* SJØTUN and RUENESS 337
GARRABOU J. *see* BALLESTEROS, SALA and ZABALA 121
GEIDER R.J., MACINTYRE H.L., GRAZIANO L.M. & McKAY R.M.L. Responses of the photosynthetic apparatus of *Dunaliella tertiolecta* (Chlorophyceae) to nitrogen and phosphorus limitation 315
GRAZIANO L.M. *see* GEIDER, MACINTYRE and McKAY 315
GROSS W., KÜVER J., TISCHENDORF G., BOUCHAALA N. & BÜSCH W. Cryptoendolithic growth of the red alga *Galdieria sulphuraria* in volcanic areas 25
GUENEAU P., MOREL F., LAROCHE J. & ERDNER D. The *petF* region of the chloroplast genome from the diatom *Thalassiosira weissflogii*: sequence, organization and phylogeny 203
HANSEN G. & MOESTRUP Ø Fine-structural characterization of *Alexandrium catenella* (Dinophyceae) with special emphasis on the flagellar apparatus 281
HANSEN G. & MOESTRUP Ø Light and electron microscopical observations on *Peridiniella catenata* (Dinophyceae) 293
HARPER J.T. & SAUNDERS G.W. A molecular systematic investigation of the Acrochaetiales (Florideophycidae, Rhodophyta) and related taxa based on nuclear small-subunit ribosomal DNA sequence data 221
HILL D. R. A. *see* DEANE, BRETT and McFADDEN 149
HODGSON D. *see* VYVERMAN, SABBE, MANN, KILROY, VYVERMAN and VANHOUTTE 95
JOHANSSON G. *see* ERIKSSON and SNOEIJS 241
JOHNSTON A.M. *see* BRENCHLEY & RAVEN 307
KAWAI H. *see* MAIER, WOLF, DELAROQUE and MÜLLER 213
KILROY C. *see* VYVERMAN, SABBE, MANN, VYVERMAN, VANHOUTTE and HODGSON 95
KOGAME K. *see* MASUDA 139
KRIVTSOV V. *see* SIGEE and BELLINGER 155
KÜVER J. *see* GROSS, TISCHENDORF, BOUCHAALA and BÜSCH 25
LAROCHE J. *see* GUENEAU, MOREL and ERDNER 203
LOISEAUX-DE GOËR S. *see* COAT, DION, NOAILLES, DE REVIERS, FONTAINE and BERGER-PERROT 81
McFADDEN G. I. *see* DEANE, HILL and BRETT 149
MACINTYRE H.L. *see* GEIDER, GRAZIANO and McKAY 315
McKAY R.M.L. *see* GEIDER, MACINTYRE and GRAZIANO 315
MAIER I., WOLF S., DELAROQUE N., MÜLLER D.G. & KAWAI H. A DNA virus infecting the marine brown alga *Pilayella littoralis* (Ectocarpales, Phaeophyceae) in culture 213
MAJOR K. M. (M.). & DAVISON I. R. Influence of temperature and light on growth and photosynthetic physiology of *Fucus evanescens* (Phaeophyta) embryos 129
MANN D. G. *see* VYVERMAN, SABBE, KILROY, VYVERMAN, VANHOUTTE and HODGSON 95
MARINO D. *see* ZINGONE & MONTRESOR 259
MASUDA M. *see* ABE 17
MASUDA M. & KOGAME K. *Ahnfeltiopsis triquetrifolia* sp. nov. (Gigartinales, Rhodophyta) from Japan 139
MOESTRUP Ø *see* HANSEN 281
MOESTRUP Ø *see* HANSEN 293
MONTRESOR M. *see* ZINGONE and MARINO 259
MOREL F. *see* GUENEAU, LAROCHE and ERDNER 203
MÜLLER D.G. *see* MAIER, WOLF, DELAROQUE and KAWAI 213

MYKLESTAD S.M. & SWIFT E. A new method for measuring soluble cellular organic content and a membrane property, T_m, of planktonic algae 333
NOAILLES M.-C. *see* COAT, DION, DE REVIERS, FONTAINE, BERGER-PERROT and LOISEAUX-DE GOËR 81
NOZAKI H., KODO M., MIYAJI K., KATO M., WATYANABE M.M. & KASAKI H. Observations on the morphology and oospore wall ornamentation in culture of the rediscovered Japanese endemic *Nitella gracilens* (Charales, Chlorophyta) 357
OLSEN J.L. *see* DE JONG, VAN DER WURFF and STAM 187
PAASCHE E. Roles of nitrogen and phosphorus in coccolith formation in *Emiliania huxleyi* (Prymnesiophyceae) 33
PETERS A.F. Ribosomal DNA sequences support taxonomic separation of the two species of *Chorda*: reinstatement of *Halosiphon tomentosus* (Lyngbye) Jaasund (Phaeophyceae, Laminariales) 65
PHILLIPS J. *see* UNDERWOOD and SAUNDERS 173
PHILLIPS J.A. Studies of reproduction in Australian *Dictyopteris australis* and *Dictyopteris muelleri* (Dictyotales, Phaeophyceae) identify new taxonomic characters 345
PICKETT-HEAPS J.D. & WEST J. Time-lapse video observations on sexual plasmogamy in the red alga *Bostrychia* 43
PIEDRAS P., AGUILAR M. & PINEDA M. Uptake and metabolism of allantoin and allantoate by cells of *Chlamydomonas reinhardtii* (Chlorophyceae) 57
PINEDA M. *see* PIEDRAS & AGUILAR 57
QIANG H., ZARMI Y. & RICHMOND A. Combined effects of light intensity, light-path and culture density on output rate of *Spirulina platensis* (Cyanobacteria) 165
RAGAN M.A. On the delineation and higher-level classification of algae 1
RAVEN J.A. *see* BRENCHLEY and JOHNSTON 307
RICHMOND A. *see* QIANG & ZARMI 165
RUENESS J. *see* SJØTUN & FREDRIKSEN 337
SABBE K. *see* VYVERMAN, MANN, KILROY, VYVERMAN, VANHOUTTE and HODGSON 95
SALA E. *see* BALLESTEROS, GARRABOU and ZABALA 121
SAUNDERS G.W. *see* HARPER 221
SAUNDERS K. *see* UNDERWOOD & PHILLIPS 173
SHEATH R.G. *see* VIS 231
SIGEE D. C., KRIVTSOV V. & BELLINGER E. G. Elemental concentrations, correlations and ratios in micropopulations of *Ceratium hirundinella* (Pyrrhophyta): an X-ray microanalytical study 155
SIMONS J. *see* SKOWROŃSKI, DE KNECHT and VERKLEIJ 87
SJØTUN K., FREDRIKSEN S. & RUENESS J. Effect of canopy biomass and wave exposure on growth in *Laminaria hyperborea* (Laminariaceae: Phaeophyta) 337
SKOWROŃSKI T., DE KNECHT J.-A., SIMONS J. & VERKLEIJ J.A.C. Phytochelatin synthesis in response to cadmium uptake in *Vaucheria* (Xanthophyceae) 87
SNOEIJS P. *see* ERIKSSON & JOHANSSON 241
STAM W.T. *see* DE JONG, VAN DER WURFF and OLSEN 187
SWIFT E. *see* MYKLESTAD 333
TISCHENDORF G. *see* GROSS, KÜVER, BOUCHAALA and BÜSCH 25
UNDERWOOD G. J. C., PHILLIPS J. & SAUNDERS K. Distribution of estuarine benthic diatom species along salinity and nutrient gradients 173
VALENTIN K., FISCHER S. & CATTOLICO R. A. The chloroplast *bchI* gene encodes a subunit of magnesium chelatase in the marine heterokont alga *Heterosigma carterae* 113
VAN DER WURFF A.W.G. *see* DE JONG, STAM and OLSEN 187
VANHOUTTE K. *see* VYVERMAN, SABBE, MANN, KILROY, VYVERMAN and HODGSON 95
VERKLEIJ J.A.C. *see* SKOWROŃSKI, DE KNECHT and SIMONS 87
VIEJO R.M. *see* ANDREW 251
VIS M.L. & SHEATH R.G. A molecular and morphological investigation of the relationship between *Batrachospermum spermatoinvolucrum* and *B. gelatinosum* (Batrachospermales, Rhodophyta) 231
VYVERMAN R. *see* VYVERMAN, SABBE, MANN, KILROY, VANHOUTTE and HODGSON 95
VYVERMAN W., SABBE K., MANN D. G., KILROY C., VYVERMAN R., VANHOUTTE K. & HODGSON D. *Eunophora* gen. nov. (Bacillariophyta) from Tasmania and New Zealand: description and comparison with *Eunotia* and amphoroid diatoms 95
WEST J. *see* PICKETT-HEAPS 43
WOLF S. *see* MAIER, DELAROQUE, MÜLLER and KAWAI 213
ZABALA M. *see* BALLESTEROS, SALA and GARRABOU 121
ZARMI Y. *see* QIANG and RICHMOND 165
ZINGONE A., MONTRESOR M. & MARINO D. Morphological variability of the potentially toxic dinoflagellate *Dinophysis sacculus* (Dinophyceae) and its taxonomic relationships with *D. pavillardii* and *D. acuminata* 259

SUBJECT INDEX

absorption coefficient, 315
accessory pigments, 315
Acrochaetiales, 221
adaptation, 337
Ahnfeltiopsis triquetrifolia, 139
Alexandrium catenella, 281
algae, 1, 213
algal stands, 121
allantoate, 57
allantoicase, 57
allantoin, 57
allantoinase, 57
allocation pattern, 307
ammonium, 173
Bacillariophyta, 95
Baltic Sea, 241
Batrachospermales, 221
Batrachospermum, 231
bchI, 113
biogeography, 95
cadmium, 87
calcium, 33
Camontagnea, 221
canopy effect, 337
carbon, 33
Ceramiales, 187
Ceramiales, Japan, 17
Ceratium, 155
Chlamydomonas, 57
chlorophyll, 315
chlorophyll biosynthesis, 113
Chlorophyta, 73
classification, 1
coccolith, 33
crustose tetrasporophyte, 139
cryptoendolithic growth, 25
cryptomonad, 149
Cryptomonas sp. Φ, 149
Cyanidium caldarium, 25
Cystoseira spinosa, 121
D. pavillardii, 259
D. sacculus, 259
Dasya, 187
Dasyaceae, 187
deep water, 121
density dependence, 251
determination of DOM, 333
diatoms, 173, 333
Dictyopteris australis, 345
Dictyopteris muelleri, 345
Dictyotales, 345
dinoflagellate, 155
dinoflagellate flagellar apparatus, 293
Dinophyceae, 259
Dinophysis acuminata, 259
DSP, 259
Dunaliella tertiolecta, 315
ecology, 241
Ectocarpales, 213
elemental composition, 155
Emiliania, 33
epipelic, 173
estuarine, 173
Eupogodon, 187
European coasts, 259
eutrophication, 73, 241
ferredoxin, 203
flagellar apparatus, 281
fluorescence quenching, 315
Fucus evanescens, 129
Fucus vesiculosus, 241
Galdieria sulphuraria, 25
gene expression, 113
Gigartinales, 139
Gonyaulacales, 281
green tide, 73, 81
growth, 251
growth rate, 307
Hanusia phi, 149
Heterokontophyta, 113
Heterosigma carterae, 113
Heterosiphonia, 187
heterotrophy, 25
internal trasncribed spacer, 65
ITS, 231
ITS sequences, 81
kelp, 65
kelp forest, 337
kingdom, 1
Laminaria hyperborea, 337
Laurencia japonensis, 17
light, 87
light-harvesting complex, 315
light-path, 165
light–dark cycles, 165
marine double-stranded DNA virus, 213
maximum growth temperature, 333
Mediterranean Sea, 259
mesocosm, 173
molecular systematics, 65, 187, 221
morphology, 17, 139
morphometrics, 231
Nemaliales, 221
nitrogen, 33
nitrogen metabolism, 57
North America, 231
nucleomorph, 149
nucleus, 43
nutrient concentration, 307
nutrients, 173
Odontella sinensis, 203
optimal culture density, 165
origin of plastids, 203
Pacific, 17
Palmariales, 221
Peridiniella, 293
Phaeophyceae, 213, 345
Phaeophyta, 129
phosphorus, 33, 155
photoacclimation, 129
photobioreactors, 165
photosynthesis, 129
phycovirus, 213
Phyllophoraceae, 139
phylogeny, 95, 187, 221
physiological ecology, 129
phytochelatins, 87
Pilayella littoralis, 213
planktonic algae, 333
plastid evolution, 113
PlitV-1, 213
polyspermy, 43
protein translocation, 113
Protista, 1
quantum efficiency, 315
*rbc*L, 187, 231

recruitment, 121
red alga, 43
reproduction, 345
reproductive strategy, 307
resource availability, 307
Rhododraparnaldia, 221
Rhodomelaceae, 17
Rhodophyta, 17, 139, 187, 221, 231
ribosomal DNA, 65
Rubisco, 315
run on transcription, 113
salinity, 173
Sargassum muticum, 251
sexual reproduction, 43
short-day plant, 139
size structure, 121
small subunit, 65
small-subunit rDNA, 221
soluble cellular material, 333
Spain, 251
spermatium, 43
Sphacelaria arctica, 241
Spirulina platensis, 165
stipe growth, 337
streams, 231
sulphur springs, 25
survival, 251
Tasmania, 95
taxonomy, 17, 73, 95, 139, 187, 259, 281, 293, 345
temperature, 87
Thalassiosira weissflogii, 203
thermal acclimation, 129
transition temperature, 333
trichocyst, 293
trichogyne, 43
ultrahigh cell density, 165
ultrastructure, 281, 293
Ulva armoricana sp. nov., 73
Ulva species, 81
Ulvales, 73
uptake, 57
ureides, 57
Vaucheria, 87
wave exposure, 251, 337
X-ray microanalysis, 155